





1

4.01 L.03 REV:0 12.01.2012
REV:2 13.12.2019




2

4.01 L.03 REV:0 12.01.2012
REV:1 13.12.2019




3

4.01 L.03 REV:0 12.01.2012
REV:1 03.08.2018



4


4.01 L.03 REV:0 12.01.2012
REV:3 13.12.2019



3934
1,116 kg/m

5


4.01 L.03 REV:0 12.01.2012
REV:1 13.12.2019



3937
3,093 kg/m

6

4.01 L.03 REV:0 12.01.2012
REV:0 05.10.2015



3787
0,533 kg/m


3788
2,165 kg/m

7

4.01 L.03 REV:0 12.01.2012
REV:1 13.12.2019

8


4.01 L.03 REV:0 12.01.2012
REV:3 13.12.2019




3662
2,224 kg/m

9

4.01 L.03 REV:0 12.01.2012
REV:0 05.10.2015




3743
0,998 kg/m




3936
0,962 kg/m

10


4.01 L.03 REV:0 12.01.2012
REV:2 13.12.2019



3946
1,241 kg/m




3935
0,833 kg/m




3978
0,567 kg/m

11


4.01 L.03 REV:0 12.01.2012
REV:2 13.12.2019



2015-68
0,350 kg/m




3745
0,502 kg/m




4604
0,906 kg/m

12


4.01 L.03 REV:0 12.01.2012
REV:3 13.12.2019




3780
0,238 kg/m



3972
0,608 kg/m




3664
0,653 kg/m



3802
0,421 kg/m

13

4.01 L.03 REV:0 12.01.2012
REV:1 13.12.2019



4015
3,542 kg/m

14

4.01 L.03 REV:0 12.01.2012
REV:2 13.12.2019




15

4.01 L.03 REV:0 12.01.2012
REV:3 13.12.2019




16


4.01 L.03 REV:0 12.01.2012
REV:3 13.12.2019




4262
0,550 kg/m




4408
0,383 kg/m




4265
0,323 kg/m




4266
0,545 kg/m




4268
0,363 kg/m




2017-47
0,256 kg/m




4422
0,823 kg/m




4371
0,526 kg/m




4372
0,771 kg/m



3801
0,375 kg/m



3795
0,428 kg/m




3796
0,505 kg/m



21


4.01 L.03 REV:0 12.01.2012
REV:1 13.12.2019




4419
1,121 kg/m

22

4.01 L.03 REV:0 12.01.2012
REV:1 13.12.2019




4420
1,194 kg/m



4421
1,356 kg/m

23

4.01 L.03 REV:0 12.01.2012
REV:0 12.03.2018



4423
1,525 kg/m


24

4.01 L.03 REV:0 12.01.2012
REV:0 12.03.2018



25

4.01 L.03 REV:0 12.01.2012
REV:1 13.12.2019




26

4.01 L.03 REV:0 12.01.2012
REV:0 26.04.2019




27

4.01 L.03 REV:0 12.01.2012
REV:1 13.12.2019



28


4.01 L.03 REV:0 12.01.2012
REV:0 10.10.2019



4656
4,923 kg/m

29


4.01 L.03 REV:0 12.01.2012
REV:0 22.07.2019




4648
0,250 kg/m

30


4.01 L.03 REV:0 12.01.2012
REV:0 22.07.2019




4657
0,935 kg/m



4658
0,826 kg/m




4659
1,361 kg/m



4660
1,164 kg/m

31

4.01 L.03 REV:0 12.01.2012
REV:0 22.07.2019



4661
1,665 kg/m


32

4.01 L.03 REV:0 12.01.2012
REV:0 22.07.2019




ÖZEN ALÜMİNYUM


OTOMOTİV
ARABA KASASI PROFİLLERİ



2007-53
1,492 kg/m




2007-52
0,827 kg/m



2007-78
0,468 kg/m

2007-77
0,392 kg/m

2007-81
1,600 kg/m



2007-84
0,343 kg/m


2007-72
0,402 kg/m

2015-82
0,592 kg/m




ÖZEN ALÜMİNYUM


OTOMOTİV
KOLTUK PROFİLLERİ




3069
1.114 kg/m




3767
1.666 kg/m




3755
1.401 kg/m



3043
2.048 kg/m



3071
1.656 kg/m



2916
1.744 kg/m


1

4.01 L.03 REV:0 12.01.2012
REV:0 06.04.2016




ÖZEN ALÜMİNYUM


OTOMOTİV
KOLTUK PROFİLLERİ



2919
2.876 kg/m



3068
2.970 kg/m



2918
4.345 kg/m


2

4.01 L.03 REV:0 12.01.2012
REV:0 06.04.2016




ÖZEN ALÜMİNYUM

OTOMOTİV
KOLTUK PROFİLLERİ



3239
0.685 kg/m



3238
1.581 kg/m


3

4.01 L.03 REV:0 12.01.2012
REV:0 06.04.2016




ÖZEN ALÜMİNYUM


TIR - KAMYON - BİSİKLET
KORKULUK PROFİLLERİ



4079
1,337 kg/m



4080
1,901 kg/m



4081
1,232 kg/m


1

4.01 L.03 REV:0 12.01.2012
REV:0 16.06.2016



ÖZEN ALÜMİNYUM

TIR - KAMYON - BİSİKLET
KORKULUK PROFİLLERİ



4320
2,156 kg/m


2

4.01 L.03 REV:0 12.01.2012
REV:0 07.09.2017



ÖZEN ALÜMİNYUM

TIR KASASI BRANDA
PROFİLLERİ



4569
1,081 kg/m